

APPENDIX L: SAR TEST RESULTS FOR P_{Limit} CALCULATIONS

For some bands/modes, a lower P_{Limit} was selected as a more conservative evaluation.
Data highlighted in blue was tested and provided by the manufacturer.

Table L-1
DSI = 0 P_{Limit} Calculations – GPRS Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0221M	1:2.76	-0.08	836.60	190	28.64	Back	0	0.883	28.7	28.7	26.4
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0221M	1:2.76	0.02	836.60	190	28.64	Front	0	0.724	29.6		
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0221M	1:2.76	-0.05	836.60	190	28.64	Bottom	0	0.532	30.9		
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0221M	1:2.76	-0.04	836.60	190	28.64	Right	0	0.210	35.0		
Phablet	GPRS 850	GPRS 3 Tx Slots	A	0221M	1:2.76	-0.07	836.60	190	28.64	Left	0	0.107	37.9		
Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	GPRS 850	GPRS 3 Tx Slots	E	1428M	1:2.76	-0.03	836.60	190	29.29	Back	0	0.964	29.0	27.7	27.6
Phablet	GPRS 850	GPRS 3 Tx Slots	E	1428M	1:2.76	0.12	836.60	190	29.29	Front	0	1.290	27.7		
Phablet	GPRS 850	GPRS 3 Tx Slots	E	1428M	1:2.76	0.03	836.60	190	29.29	Top	0	0.597	31.1		
Phablet	GPRS 850	GPRS 3 Tx Slots	E	1428M	1:2.76	0.00	836.60	190	29.29	Right	0	1.070	28.5		
Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0053M	1:2.076	0.02	1909.80	810	21.82	Back	0	0.838	23.4	21.3	18.8
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0053M	1:2.076	0.11	1909.80	810	21.82	Front	0	0.894	23.1		
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0053M	1:2.076	-0.01	1909.80	810	21.82	Bottom	0	1.340	21.3		
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0053M	1:2.076	-0.06	1909.80	810	21.82	Right	0	0.111	32.2		
Phablet	GPRS 1900	GPRS 4 Tx Slots	A	0053M	1:2.076	-0.07	1909.80	810	21.82	Left	0	0.072	34.0		

Table L-2
DSI = 0 P_{Limit} Calculations – UMTS Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 850	RMC	A	0144M	1:1	0.00	836.60	4183	23.29	Back	0	0.957	27.5	27.2	24.9
Phablet	UMTS 850	RMC	A	0144M	1:1	0.02	836.60	4183	23.29	Front	0	1.020	27.2		
Phablet	UMTS 850	RMC	A	0144M	1:1	-0.02	836.60	4183	23.29	Bottom	0	0.812	28.2		
Phablet	UMTS 850	RMC	A	0144M	1:1	0.14	836.60	4183	23.29	Right	0	0.313	32.3		
Phablet	UMTS 850	RMC	A	0144M	1:1	0.07	836.60	4183	23.29	Left	0	0.137	35.9		
Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 850	RMC	E	1428M	1:1	0.01	836.60	4183	22.61	Back	0	0.833	27.4	26.2	25.2
Phablet	UMTS 850	RMC	E	1428M	1:1	0.00	836.60	4183	22.61	Front	0	1.100	26.2		
Phablet	UMTS 850	RMC	E	1428M	1:1	0.00	836.60	4183	22.61	Top	0	0.755	27.8		
Phablet	UMTS 850	RMC	E	1428M	1:1	-0.16	836.60	4183	22.61	Right	0	0.787	27.6		
Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 1750	RMC	A	0082M	1:1	-0.03	1752.60	1513	19.54	Back	0	1.460	21.9	20.3	19.0
Phablet	UMTS 1750	RMC	A	0082M	1:1	-0.02	1752.60	1513	19.54	Front	0	1.430	22.0		
Phablet	UMTS 1750	RMC	A	0082M	1:1	0.02	1752.60	1513	19.54	Bottom	0	2.110	20.3		
Phablet	UMTS 1750	RMC	A	0082M	1:1	0.02	1752.60	1513	19.54	Right	0	0.229	29.9		
Phablet	UMTS 1750	RMC	A	0082M	1:1	0.00	1752.60	1513	19.54	Left	0	0.148	31.8		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset	APPENDIX L: Page 1 of 9

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	UMTS 1900	RMC	A	0039M	1:1	-0.05	1907.60	9538	18.08	Back	0	0.909	22.5	21.3	18.0
Phablet	UMTS 1900	RMC	A	0039M	1:1	-0.01	1907.60	9538	18.08	Front	0	0.949	22.3		
Phablet	UMTS 1900	RMC	A	0039M	1:1	-0.01	1907.60	9538	18.08	Bottom	0	1.190	21.3		
Phablet	UMTS 1900	RMC	A	0039M	1:1	-0.02	1907.60	9538	18.08	Right	0	0.136	30.7		
Phablet	UMTS 1900	RMC	A	0039M	1:1	0.02	1907.60	9538	18.08	Left	0	0.111	31.6		

Table L-3
DSI = 0 P_{Limit} Calculations – LTE Band 71 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 71	20	QPSK	A	0063M	1:1	0.01	680.50	133297	0.0	23.96	1	50	Back	0	1.110	27.5	27.0	26.9
Phablet	LTE Band 71	20	QPSK	A	0063M	1:1	0.19	680.50	133297	0.0	23.96	1	50	Front	0	0.652	29.8		
Phablet	LTE Band 71	20	QPSK	A	0063M	1:1	0.14	680.50	133297	0.0	23.96	1	50	Bottom	0	1.030	27.8		
Phablet	LTE Band 71	20	QPSK	A	0063M	1:1	0.04	680.50	133297	0.0	23.96	1	50	Right	0	1.230	27.0		
Phablet	LTE Band 71	20	QPSK	A	0063M	1:1	0.17	680.50	133297	0.0	23.96	1	50	Left	0	0.092	38.3		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 71	20	QPSK	E	0084M	1:1	-0.06	680.50	133297	0.0	23.47	1	99	Back	0	0.899	27.9	26.6	26.2
Phablet	LTE Band 71	20	QPSK	E	0084M	1:1	0.07	680.50	133297	0.0	23.47	1	99	Front	0	1.100	27.0		
Phablet	LTE Band 71	20	QPSK	E	0084M	1:1	-0.02	680.50	133297	0.0	23.47	1	99	Top	0	1.220	26.6		
Phablet	LTE Band 71	20	QPSK	E	0084M	1:1	0.11	680.50	133297	0.0	23.47	1	99	Right	0	0.864	28.1		

Table L-4
DSI = 0 P_{Limit} Calculations – LTE Band 12 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 12	10	QPSK	A	0063M	1:1	-0.02	707.50	23095	0.0	23.99	1	25	Back	0	1.110	27.5	27.4	26.1
Phablet	LTE Band 12	10	QPSK	A	0063M	1:1	0.04	707.50	23095	0.0	23.99	1	25	Front	0	0.728	29.3		
Phablet	LTE Band 12	10	QPSK	A	0063M	1:1	0.05	707.50	23095	0.0	23.99	1	25	Bottom	0	1.120	27.5		
Phablet	LTE Band 12	10	QPSK	A	0063M	1:1	0.09	707.50	23095	0.0	23.99	1	25	Right	0	1.140	27.4		
Phablet	LTE Band 12	10	QPSK	A	0063M	1:1	-0.04	707.50	23095	0.0	23.99	1	25	Left	0	0.123	37.1		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 12	10	QPSK	E	0084M	1:1	-0.02	707.50	23095	0.0	23.94	1	0	Back	0	1.070	27.6	26.6	26.6
Phablet	LTE Band 12	10	QPSK	E	0084M	1:1	0.00	707.50	23095	0.0	23.94	1	0	Front	0	1.100	27.5		
Phablet	LTE Band 12	10	QPSK	E	0084M	1:1	0.01	707.50	23095	0.0	23.94	1	0	Top	0	1.370	26.6		
Phablet	LTE Band 12	10	QPSK	E	0084M	1:1	-0.01	707.50	23095	0.0	23.94	1	0	Right	0	0.885	28.4		

Table L-5
DSI = 0 P_{Limit} Calculations – LTE Band 13 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 13	10	QPSK	A	0063M	1:1	-0.05	782.00	23230	0.0	23.87	1	0	Back	0	1.290	26.7	26.7	25.2
Phablet	LTE Band 13	10	QPSK	A	0063M	1:1	-0.05	782.00	23230	0.0	23.87	1	0	Front	0	0.838	28.6		
Phablet	LTE Band 13	10	QPSK	A	0063M	1:1	-0.01	782.00	23230	0.0	23.87	1	0	Top	0	0.982	27.9		
Phablet	LTE Band 13	10	QPSK	A	0063M	1:1	0.00	782.00	23230	0.0	23.87	1	0	Right	0	0.726	29.2		
Phablet	LTE Band 13	10	QPSK	A	0063M	1:1	-0.01	782.00	23230	0.0	23.87	1	0	Left	0	0.155	35.9		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 13	10	QPSK	E	0095M	1:1	-0.03	782.00	23230	0.0	23.41	1	49	Back	0	0.726	28.8	26.1	26.1
Phablet	LTE Band 13	10	QPSK	E	0095M	1:1	0.00	782.00	23230	0.0	23.41	1	49	Front	0	1.100	27.0		
Phablet	LTE Band 13	10	QPSK	E	0095M	1:1	0.01	782.00	23230	0.0	23.41	1	49	Top	0	1.340	26.1		
Phablet	LTE Band 13	10	QPSK	E	0095M	1:1	0.03	782.00	23230	0.0	23.41	1	49	Right	0	1.000	27.4		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset	APPENDIX L: Page 2 of 9

Table L-6
DSI = 0 P_{Limit} Calculations – LTE Band 14 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 14	10	QPSK	A	0221M	1:1	-0.03	793.00	23330	0.0	23.77	1	25	Back	0	1.320	26.5	26.5	25.2
Phablet	LTE Band 14	10	QPSK	A	0221M	1:1	0.03	793.00	23330	0.0	23.77	1	25	Front	0	0.915	28.1		
Phablet	LTE Band 14	10	QPSK	A	0221M	1:1	0.01	793.00	23330	0.0	23.77	1	25	Bottom	0	1.090	27.4		
Phablet	LTE Band 14	10	QPSK	A	0221M	1:1	-0.03	793.00	23330	0.0	23.77	1	25	Right	0	0.549	30.4		
Phablet	LTE Band 14	10	QPSK	A	0221M	1:1	0.01	793.00	23330	0.0	23.77	1	25	Left	0	0.147	36.1		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 14	10	QPSK	E	0095M	1:1	-0.01	793.00	23330	0.0	23.68	1	0	Back	0	0.971	27.8	26.4	26.1
Phablet	LTE Band 14	10	QPSK	E	0095M	1:1	-0.01	793.00	23330	0.0	23.68	1	0	Front	0	1.280	26.6		
Phablet	LTE Band 14	10	QPSK	E	0095M	1:1	0.01	793.00	23330	0.0	23.68	1	0	Top	0	1.330	26.4		
Phablet	LTE Band 14	10	QPSK	E	0095M	1:1	0.01	793.00	23330	0.0	23.68	1	0	Right	0	1.080	27.3		

Table L-7
DSI = 0 P_{Limit} Calculations – LTE Band 26 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 26	15	QPSK	A	0063M	1:1	-0.13	831.50	26865	0.0	23.75	1	36	Back	0	1.010	27.7	27.7	25.5
Phablet	LTE Band 26	15	QPSK	A	0063M	1:1	-0.02	831.50	26865	0.0	23.75	1	36	Front	0	0.966	27.9		
Phablet	LTE Band 26	15	QPSK	A	0063M	1:1	-0.16	831.50	26865	0.0	23.75	1	36	Bottom	0	0.711	29.2		
Phablet	LTE Band 26	15	QPSK	A	0063M	1:1	0.03	831.50	26865	0.0	23.75	1	36	Right	0	0.482	30.9		
Phablet	LTE Band 26	15	QPSK	A	0063M	1:1	-0.08	831.50	26865	0.0	23.75	1	36	Left	0	0.121	36.9		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 26	15	QPSK	E	0095M	1:1	-0.02	831.50	26865	0.0	23.38	1	36	Back	0	0.845	28.1	26.8	26.2
Phablet	LTE Band 26	15	QPSK	E	0095M	1:1	0.01	831.50	26865	0.0	23.38	1	36	Front	0	1.130	26.8		
Phablet	LTE Band 26	15	QPSK	E	0095M	1:1	-0.01	831.50	26865	0.0	23.38	1	36	Top	0	0.846	28.1		
Phablet	LTE Band 26	15	QPSK	E	0095M	1:1	-0.04	831.50	26865	0.0	23.38	1	36	Right	0	0.896	27.8		

Table L-8
DSI = 0 P_{Limit} Calculations – LTE Band 66 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	A	0265M	1:1	-0.02	1720.00	132072	0.0	18.98	1	50	Back	0	1.390	21.5	20.8	18.5
Phablet	LTE Band 66	20	QPSK	A	0265M	1:1	0.01	1720.00	132072	0.0	18.98	1	50	Front	0	1.210	22.1		
Phablet	LTE Band 66	20	QPSK	A	0265M	1:1	0.00	1720.00	132072	0.0	18.98	1	50	Bottom	0	1.630	20.8		
Phablet	LTE Band 66	20	QPSK	A	0265M	1:1	0.05	1720.00	132072	0.0	18.98	1	50	Right	0	0.123	32.1		
Phablet	LTE Band 66	20	QPSK	A	0265M	1:1	0.04	1720.00	132072	0.0	18.98	1	50	Left	0	0.112	32.5		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 66	20	QPSK	F	0265M	1:1	-0.01	1770.00	132572	0.0	20.62	50	25	Back	0	0.673	26.3	20.6	20.5
Phablet	LTE Band 66	20	QPSK	F	0265M	1:1	-0.02	1770.00	132572	0.0	20.62	50	25	Front	0	1.190	23.8		
Phablet	LTE Band 66	20	QPSK	F	0265M	1:1	-0.01	1770.00	132572	0.0	20.62	50	25	Top	0	2.540	20.6		
Phablet	LTE Band 66	20	QPSK	F	0265M	1:1	0.04	1770.00	132572	0.0	20.62	50	25	Left	0	0.229	31.0		

Table L-9
DSI = 0 P_{Limit} Calculations – LTE Band 25 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	A	0039M	1:1	-0.05	1905.00	26590	0.0	17.98	1	99	Back	0	0.987	22.0	22.0	18.0
Phablet	LTE Band 25	20	QPSK	A	0039M	1:1	0.04	1905.00	26590	0.0	17.98	1	99	Front	0	0.906	22.4		
Phablet	LTE Band 25	20	QPSK	A	0039M	1:1	-0.03	1905.00	26590	0.0	17.94	50	25	Right	0	0.131	30.7		
Phablet	LTE Band 25	20	QPSK	A	0039M	1:1	0.06	1905.00	26590	0.0	17.94	50	25	Left	0	0.113	31.4		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT														Approved by: Technical Manager				
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset														APPENDIX L: Page 3 of 9				

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 25	20	QPSK	F	0426M	1:1	0.09	1860.00	26140	0.0	20.05	1	0	Back	0	0.658	25.8	21.6	20.0
Phablet	LTE Band 25	20	QPSK	F	0426M	1:1	0.08	1860.00	26140	0.0	20.05	1	0	Front	0	0.966	24.2		
Phablet	LTE Band 25	20	QPSK	F	0426M	1:1	0.00	1860.00	26140	0.0	20.05	1	0	Top	0	1.740	21.6		
Phablet	LTE Band 25	20	QPSK	F	0426M	1:1	0.09	1860.00	26140	0.0	20.05	1	0	Left	0	0.225	30.5		

Table L-10
DSI = 0 P_{Limit} Calculations – LTE Band 30 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 30	10	QPSK	A	0231M	1:1	0.00	2310.00	27710	0.0	19.53	1	25	Back	0	1.350	22.2	22.2	19.5
Phablet	LTE Band 30	10	QPSK	A	0231M	1:1	-0.02	2310.00	27710	0.0	19.53	1	25	Front	0	0.628	25.5		
Phablet	LTE Band 30	10	QPSK	A	0231M	1:1	-0.01	2310.00	27710	0.0	19.53	1	25	Bottom	0	1.150	22.9		
Phablet	LTE Band 30	10	QPSK	A	0231M	1:1	0.03	2310.00	27710	0.0	19.53	1	25	Right	0	0.485	26.7		
Phablet	LTE Band 30	10	QPSK	A	0231M	1:1	0.02	2310.00	27710	0.0	19.53	1	25	Left	0	0.126	32.5		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 30	10	QPSK	F	0426M	1:1	-0.01	2310.00	27710	0.0	20.05	25	0	Back	0	1.010	24.0	20.3	20.0
Phablet	LTE Band 30	10	QPSK	F	0426M	1:1	0.00	2310.00	27710	0.0	20.05	25	0	Front	0	1.440	22.4		
Phablet	LTE Band 30	10	QPSK	F	0426M	1:1	-0.03	2310.00	27710	0.0	20.05	25	0	Top	0	2.370	20.3		
Phablet	LTE Band 30	10	QPSK	F	0426M	1:1	0.02	2310.00	27710	0.0	20.05	25	0	Left	0	0.203	31.0		

Table L-11
DSI = 0 P_{Limit} Calculations – LTE Band 7 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 7	20	QPSK	B	0039M	1:1	-0.02	2510.00	20850	0.0	19.94	50	25	Back	0	1.320	22.7	19.9	19.5
Phablet	LTE Band 7	20	QPSK	B	0039M	1:1	0.01	2510.00	20850	0.0	19.94	50	25	Front	0	1.640	21.8		
Phablet	LTE Band 7	20	QPSK	B	0039M	1:1	-0.05	2510.00	20850	0.0	19.94	50	25	Bottom	0	2.530	19.9		
Phablet	LTE Band 7	20	QPSK	B	0039M	1:1	-0.01	2510.00	20850	0.0	19.94	50	25	Right	0	1.540	22.0		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 7	20	QPSK	F	1078M	1:1	0.00	2535.00	21100	0.0	19.21	1	0	Back	0	1.040	23.0	19.9	19.5
Phablet	LTE Band 7	20	QPSK	F	1078M	1:1	-0.02	2535.00	21100	0.0	19.21	1	0	Front	0	1.400	21.7		
Phablet	LTE Band 7	20	QPSK	F	1078M	1:1	-0.04	2535.00	21100	0.0	19.21	1	0	Top	0	2.130	19.9		
Phablet	LTE Band 7	20	QPSK	F	1078M	1:1	-0.04	2535.00	21100	0.0	19.21	1	0	Left	0	0.242	29.4		

Table L-12
DSI = 0 P_{Limit} Calculations – LTE Band 41 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	B	0148M	1:1.58	0.08	2680.00	41490	0.0	21.66	50	25	Back	0	2.380	19.9	19.7	19.5
Phablet	LTE Band 41	20	QPSK	B	0148M	1:1.58	-0.02	2680.00	41490	0.0	21.66	50	25	Front	0	1.770	21.2		
Phablet	LTE Band 41	20	QPSK	B	0148M	1:1.58	-0.04	2680.00	41490	0.0	21.66	50	25	Bottom	0	2.480	19.7		
Phablet	LTE Band 41	20	QPSK	B	0148M	1:1.58	0.01	2680.00	41490	0.0	21.66	50	25	Right	0	1.960	20.7		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 41	20	QPSK	F	0148M	1:1.58	0.08	2680.00	41490	0.0	21.44	1	0	Back	0	0.699	25.0	19.9	19.5
Phablet	LTE Band 41	20	QPSK	F	0148M	1:1.58	0.02	2680.00	41490	0.0	21.44	1	0	Front	0	1.030	23.3		
Phablet	LTE Band 41	20	QPSK	F	0148M	1:1.58	0.02	2680.00	41490	0.0	21.44	1	0	Top	0	2.260	19.9		
Phablet	LTE Band 41	20	QPSK	F	0148M	1:1.58	0.08	2680.00	41490	0.0	21.44	1	0	Left	0	0.154	31.6		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT													Approved by: Technical Manager					
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset													APPENDIX L: Page 4 of 9					

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.

Table L-13
DSI = 0 P_{Limit} Calculations – LTE Band 48 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	LTE Band 48	20	QPSK	F	1154M	1:1.58	0.00	3560.00	55340	0.0	22.08	1	0	Back	0	0.743	25.4	22.8	20.0
Phablet	LTE Band 48	20	QPSK	F	1154M	1:1.58	-0.01	3560.00	55340	0.0	22.08	1	0	Front	0	0.770	25.2		
Phablet	LTE Band 48	20	QPSK	F	1154M	1:1.58	0.00	3560.00	55340	0.0	22.08	1	0	Top	0	1.330	22.8		
Phablet	LTE Band 48	20	QPSK	F	1154M	1:1.58	0.01	3560.00	55340	0.0	22.08	1	0	Left	0	0.113	33.5		

Table L-14
DSI = 0 P_{Limit} Calculations – NR Band n71 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n71	20	QPSK	A	0174M	1:1	0.00	680.50	136100	DFT-s-OFDM	0.0	24.10	1	104	Back	0	1.000	28.1	26.9	26.9
Phablet	NR Band n71	20	QPSK	A	0174M	1:1	-0.04	680.50	136100	DFT-s-OFDM	0.0	24.10	1	104	Front	0	0.806	29.0		
Phablet	NR Band n71	20	QPSK	A	0174M	1:1	-0.01	680.50	136100	DFT-s-OFDM	0.0	24.10	1	104	Bottom	0	0.931	28.4		
Phablet	NR Band n71	20	QPSK	A	0174M	1:1	0.01	680.50	136100	DFT-s-OFDM	0.0	24.10	1	104	Right	0	1.320	26.9		
Phablet	NR Band n71	20	QPSK	A	0174M	1:1	0.09	680.50	136100	DFT-s-OFDM	0.0	24.10	1	104	Left	0	0.095	38.3		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n71	20	QPSK	E	0084M	1:1	-0.04	680.50	136100	DFT-s-OFDM	0.0	23.43	1	53	Back	0	0.895	27.9	26.7	25.3
Phablet	NR Band n71	20	QPSK	E	0084M	1:1	0.10	680.50	136100	DFT-s-OFDM	0.0	23.43	1	53	Front	0	1.010	27.4		
Phablet	NR Band n71	20	QPSK	E	0084M	1:1	-0.02	680.50	136100	DFT-s-OFDM	0.0	23.43	1	53	Top	0	1.180	26.7		
Phablet	NR Band n71	20	QPSK	E	0084M	1:1	-0.05	680.50	136100	DFT-s-OFDM	0.0	23.43	1	53	Right	0	0.849	28.1		

Table L-15
DSI = 0 P_{Limit} Calculations – NR Band n12 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n12	20	QPSK	A	0174M	1:1	0.04	707.50	141500	DFT-s-OFDM	0.0	24.39	1	1	Back	0	0.963	28.5	27.2	26.9
Phablet	NR Band n12	20	QPSK	A	0174M	1:1	-0.05	707.50	141500	DFT-s-OFDM	0.0	24.39	1	1	Front	0	0.734	29.7		
Phablet	NR Band n12	20	QPSK	A	0174M	1:1	-0.01	707.50	141500	DFT-s-OFDM	0.0	24.39	1	1	Bottom	0	1.220	27.5		
Phablet	NR Band n12	20	QPSK	A	0174M	1:1	-0.07	707.50	141500	DFT-s-OFDM	0.0	24.39	1	1	Right	0	1.310	27.2		
Phablet	NR Band n12	20	QPSK	A	0174M	1:1	-0.07	707.50	141500	DFT-s-OFDM	0.0	24.39	1	1	Left	0	0.077	39.5		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n12	15	QPSK	E	0084M	1:1	-0.03	707.50	141500	DFT-s-OFDM	0.0	23.86	36	22	Back	0	1.160	27.2	25.9	25.9
Phablet	NR Band n12	15	QPSK	E	0084M	1:1	-0.04	707.50	141500	DFT-s-OFDM	0.0	23.86	36	22	Front	0	1.580	25.9		
Phablet	NR Band n12	15	QPSK	E	0084M	1:1	-0.04	707.50	141500	DFT-s-OFDM	0.0	23.86	36	22	Top	0	1.510	26.0		
Phablet	NR Band n12	15	QPSK	E	0084M	1:1	0.03	707.50	141500	DFT-s-OFDM	0.0	23.86	36	22	Right	0	1.250	26.9		

Table L-16
DSI = 0 P_{Limit} Calculations – NR Band n26 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n26	20	QPSK	A	0253M	1:1	-0.02	831.50	166300	DFT-s-OFDM	0.0	24.02	1	53	Back	0	1.160	27.4	27.4	25.2
Phablet	NR Band n26	20	QPSK	A	0253M	1:1	-0.05	831.50	166300	DFT-s-OFDM	0.0	24.02	1	53	Front	0	0.958	28.2		
Phablet	NR Band n26	20	QPSK	A	0253M	1:1	0.03	831.50	166300	DFT-s-OFDM	0.0	24.02	1	53	Bottom	0	0.744	29.3		
Phablet	NR Band n26	20	QPSK	A	0253M	1:1	-0.04	831.50	166300	DFT-s-OFDM	0.0	24.02	1	53	Right	0	0.596	30.2		
Phablet	NR Band n26	20	QPSK	A	0253M	1:1	0.04	831.50	166300	DFT-s-OFDM	0.0	24.02	1	53	Left	0	0.118	37.3		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n26	20	QPSK	E	0084M	1:1	-0.01	831.50	166300	DFT-s-OFDM	0.0	23.29	1	53	Back	0	0.950	27.5	26.6	25.9
Phablet	NR Band n26	20	QPSK	E	0084M	1:1	-0.06	831.50	166300	DFT-s-OFDM	0.0	23.29	1	53	Front	0	1.160	26.6		
Phablet	NR Band n26	20	QPSK	E	0084M	1:1	0.04	831.50	166300	DFT-s-OFDM	0.0	23.29	1	53	Top	0	0.881	27.8		
Phablet	NR Band n26	20	QPSK	E	0084M	1:1	-0.04	831.50	166300	DFT-s-OFDM	0.0	23.29	1	53	Right	0	0.905	27.7		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT														Approved by: Technical Manager				
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset														APPENDIX L: Page 5 of 9				

Table L-17
DSI = 0 P_{Limit} Calculations – NR Band n70 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n70	15	QPSK	A	0256M	1:1	0.00	1702.50	340500	CP-OFDM	0.0	18.74	1	1	Back	0	1.370	21.4	20.6	19.0
Phablet	NR Band n70	15	QPSK	A	0256M	1:1	-0.01	1702.50	340500	CP-OFDM	0.0	18.74	1	1	Front	0	1.310	21.5		
Phablet	NR Band n70	15	QPSK	A	0256M	1:1	0.03	1702.50	340500	CP-OFDM	0.0	18.74	1	1	Bottom	0	1.640	20.6		
Phablet	NR Band n70	15	QPSK	A	0256M	1:1	0.04	1702.50	340500	CP-OFDM	0.0	18.74	1	1	Right	0	0.108	32.4		
Phablet	NR Band n70	15	QPSK	A	0256M	1:1	-0.01	1702.50	340500	CP-OFDM	0.0	18.74	1	1	Left	0	0.117	32.0		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n70	15	QPSK	F	0126M	1:1	0.00	1702.50	340500	CP-OFDM	0.0	20.89	1	1	Back	0	0.871	25.5	21.6	21.5
Phablet	NR Band n70	15	QPSK	F	0126M	1:1	0.10	1702.50	340500	CP-OFDM	0.0	20.89	1	1	Front	0	1.080	24.5		
Phablet	NR Band n70	15	QPSK	F	0126M	1:1	-0.02	1702.50	340500	CP-OFDM	0.0	20.89	1	1	Top	0	2.130	21.6		
Phablet	NR Band n70	15	QPSK	F	0126M	1:1	-0.16	1702.50	340500	CP-OFDM	0.0	20.89	1	1	Right	0	0.091	35.3		

Table L-18
DSI = 0 P_{Limit} Calculations – NR Band n66 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n66	40	QPSK	A	0152M	1:1	0.05	1745.00	349000	DFT-s-OFDM	0.0	19.30	108	108	Back	0	1.240	22.3	21.8	18.5
Phablet	NR Band n66	40	QPSK	A	0152M	1:1	-0.03	1745.00	349000	DFT-s-OFDM	0.0	19.30	108	108	Front	0	1.080	22.9		
Phablet	NR Band n66	40	QPSK	A	0152M	1:1	-0.10	1745.00	349000	DFT-s-OFDM	0.0	19.30	108	108	Bottom	0	1.400	21.8		
Phablet	NR Band n66	40	QPSK	A	0152M	1:1	0.01	1745.00	349000	DFT-s-OFDM	0.0	19.30	108	108	Right	0	0.116	32.6		
Phablet	NR Band n66	40	QPSK	A	0152M	1:1	0.01	1745.00	349000	DFT-s-OFDM	0.0	19.30	108	108	Left	0	0.117	32.6		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n66	40	QPSK	F	1160M	1:1	0.00	1745.00	349000	DFT-s-OFDM	0.0	20.93	1	214	Back	0	0.901	25.4	21.2	20.5
Phablet	NR Band n66	40	QPSK	F	1160M	1:1	-0.03	1745.00	349000	DFT-s-OFDM	0.0	20.93	1	214	Front	0	1.320	23.7		
Phablet	NR Band n66	40	QPSK	F	1160M	1:1	-0.01	1745.00	349000	DFT-s-OFDM	0.0	20.93	1	214	Top	0	2.370	21.2		
Phablet	NR Band n66	40	QPSK	F	1160M	1:1	0.00	1745.00	349000	DFT-s-OFDM	0.0	20.93	1	214	Left	0	0.294	30.2		

Table L-19
DSI = 0 P_{Limit} Calculations – NR Band n25 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n25	40	QPSK	A	0256M	1:1	-0.03	1882.50	376500	DFT-s-OFDM	0.0	17.97	1	1	Back	0	1.090	21.6	20.5	18.0
Phablet	NR Band n25	40	QPSK	A	0256M	1:1	0.01	1882.50	376500	DFT-s-OFDM	0.0	17.97	1	1	Front	0	1.080	21.6		
Phablet	NR Band n25	40	QPSK	A	0256M	1:1	-0.01	1882.50	376500	DFT-s-OFDM	0.0	17.97	1	1	Right	0	0.114	31.4		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n25	40	QPSK	F	0126M	1:1	0.02	1882.50	376500	DFT-s-OFDM	0.0	19.89	108	0	Back	0	0.503	26.9	21.0	20.0
Phablet	NR Band n25	40	QPSK	F	0126M	1:1	0.03	1882.50	376500	DFT-s-OFDM	0.0	19.89	108	0	Front	0	1.040	23.7		
Phablet	NR Band n25	40	QPSK	F	0126M	1:1	-0.07	1882.50	376500	DFT-s-OFDM	0.0	19.89	108	0	Top	0	1.930	21.0		
Phablet	NR Band n25	40	QPSK	F	0126M	1:1	0.05	1882.50	376500	DFT-s-OFDM	0.0	19.89	108	0	Left	0	0.212	30.6		

Table L-20
DSI = 0 P_{Limit} Calculations – NR Band n30 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n30	10	QPSK	A	0256M	1:1	-0.13	2310.00	462000	CP-OFDM	0.0	19.99	1	1	Back	0	1.120	23.5	23.3	19.5
Phablet	NR Band n30	10	QPSK	A	0256M	1:1	-0.03	2310.00	462000	CP-OFDM	0.0	19.99	1	1	Front	0	0.719	25.4		
Phablet	NR Band n30	10	QPSK	A	0256M	1:1	-0.14	2310.00	462000	CP-OFDM	0.0	19.99	1	1	Bottom	0	1.180	23.3		
Phablet	NR Band n30	10	QPSK	A	0256M	1:1	-0.10	2310.00	462000	CP-OFDM	0.0	19.99	1	1	Right	0	0.471	27.2		
Phablet	NR Band n30	10	QPSK	A	0256M	1:1	0.04	2310.00	462000	CP-OFDM	0.0	19.99	1	1	Left	0	0.129	32.9		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n30	10	QPSK	F	0126M	1:1	0.01	2310.00	462000	DFT-s-OFDM	0.0	19.98	25	0	Back	0	1.280	22.9	20.0	20.0
Phablet	NR Band n30	10	QPSK	F	0126M	1:1	0.07	2310.00	462000	DFT-s-OFDM	0.0	19.98	25	0	Front	0	1.300	22.8		
Phablet	NR Band n30	10	QPSK	F	0126M	1:1	-0.04	2310.00	462000	DFT-s-OFDM	0.0	19.98	25	0	Top	0	2.480	20.0		
Phablet	NR Band n30	10	QPSK	F	0126M	1:1	-0.04	2310.00	462000	DFT-s-OFDM	0.0	19.98	25	0	Right	0	0.186	31.3		
Phablet	NR Band n30	10	QPSK	F	0126M	1:1	-0.04	2310.00	462000	DFT-s-OFDM	0.0	19.98	25	0	Left	0	0.150	32.2		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT															Approved by: Technical Manager				
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset															APPENDIX L: Page 6 of 9				

Table L-21
DSI = 0 P_{Limit} Calculations – NR Band n7 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n7	40	QPSK	B	0256M	1:1	-0.08	2535.00	507000	DFT-s-OFDM	0.0	20.24	108	0	Back	0	1.850	21.5	20.9	19.5
Phablet	NR Band n7	40	QPSK	B	0256M	1:1	0.03	2535.00	507000	DFT-s-OFDM	0.0	20.24	108	0	Front	0	1.730	21.8		
Phablet	NR Band n7	40	QPSK	B	0256M	1:1	0.01	2535.00	507000	DFT-s-OFDM	0.0	20.24	108	0	Bottom	0	2.150	20.9		
Phablet	NR Band n7	40	QPSK	B	0256M	1:1	-0.01	2535.00	507000	DFT-s-OFDM	0.0	20.24	108	0	Right	0	1.200	23.4		
Phablet	NR Band n7	40	QPSK	B	0256M	1:1	-0.03	2535.00	507000	DFT-s-OFDM	0.0	20.24	108	0	Left	0	0.133	33.0		
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n7	40	QPSK	F	0404M	1:1	0.01	2535.00	507000	CP-OFDM	0.0	19.60	1	1	Back	0	0.944	23.8	19.4	19.4
Phablet	NR Band n7	40	QPSK	F	0404M	1:1	0.02	2535.00	507000	CP-OFDM	0.0	19.60	1	1	Front	0	1.300	22.4		
Phablet	NR Band n7	40	QPSK	F	0404M	1:1	0.06	2535.00	507000	CP-OFDM	0.0	19.60	1	1	Top	0	2.610	19.4		
Phablet	NR Band n7	40	QPSK	F	0404M	1:1	0.07	2535.00	507000	CP-OFDM	0.0	19.60	1	1	Left	0	0.257	29.5		

Table L-22
DSI = 0 P_{Limit} Calculations – NR Band n41 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n41	100	QPSK	F	1	0160M	1:1	0.03	2592.99	518598	CP-OFDM	0.0	19.51	1	1	Back	0	1.110	23.0	20.5	19.0
Phablet	NR Band n41	100	QPSK	F	1	0160M	1:1	0.05	2592.99	518598	CP-OFDM	0.0	19.51	1	1	Front	0	1.310	22.3		
Phablet	NR Band n41	100	QPSK	F	1	0160M	1:1	-0.02	2592.99	518598	CP-OFDM	0.0	19.51	1	1	Top	0	1.990	20.5		
Phablet	NR Band n41	100	QPSK	F	1	0160M	1:1	-0.05	2592.99	518598	CP-OFDM	0.0	19.51	1	1	Left	0	0.193	30.6		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Form Factor	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n41	100	F	2	0160M	1:1	-0.19	2592.99	518598	CW/SRS	16.48	Back	0	0.726	21.8	17.9	17.0				
Phablet	NR Band n41	100	F	2	0160M	1:1	0.04	2592.99	518598	CW/SRS	16.48	Front	0	1.020	20.3						
Phablet	NR Band n41	100	F	2	0160M	1:1	0.04	2592.99	518598	CW/SRS	16.48	Top	0	1.790	17.9						
Phablet	NR Band n41	100	F	2	0160M	1:1	-0.04	2592.99	518598	CW/SRS	16.48	Left	0	0.128	29.3						
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n41	100	QPSK	B	2	0160M	1:1	0.02	2592.99	518598	DFT-s-OFDM	0.0	20.27	270	0	Back	0	2.080	21.0	19.6	19.5
Phablet	NR Band n41	100	QPSK	B	2	0160M	1:1	0.08	2592.99	518598	DFT-s-OFDM	0.0	20.27	270	0	Front	0	1.860	21.5		
Phablet	NR Band n41	100	QPSK	B	2	0160M	1:1	-0.04	2592.99	518598	DFT-s-OFDM	0.0	20.27	270	0	Bottom	0	2.900	19.6		
Phablet	NR Band n41	100	QPSK	B	2	0160M	1:1	-0.01	2592.99	518598	DFT-s-OFDM	0.0	20.27	270	0	Right	0	2.200	20.8		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n41	100	B	1	0160M	1:1	-0.03	2592.99	518598	CW/SRS	18.39	Back	0	0.850	23.0	20.3	17.5				
Phablet	NR Band n41	100	B	1	0160M	1:1	-0.03	2592.99	518598	CW/SRS	18.39	Front	0	1.020	22.2						
Phablet	NR Band n41	100	B	1	0160M	1:1	0.02	2592.99	518598	CW/SRS	18.39	Bottom	0	1.590	20.3						
Phablet	NR Band n41	100	B	1	0160M	1:1	-0.06	2592.99	518598	CW/SRS	18.39	Right	0	1.420	20.8						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n41	100	E	1	0160M	1:1	-0.09	2592.99	518598	CW/SRS	17.76	Back	0	0.149	30.0	26.6	17.0				
Phablet	NR Band n41	100	E	1	0160M	1:1	0.10	2592.99	518598	CW/SRS	17.76	Front	0	0.232	28.0						
Phablet	NR Band n41	100	E	1	0160M	1:1	0.00	2592.99	518598	CW/SRS	17.76	Top	0	0.174	29.3						
Phablet	NR Band n41	100	E	1	0160M	1:1	-0.04	2592.99	518598	CW/SRS	17.76	Right	0	0.321	26.6						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n41	100	E	2	0160M	1:1	0.03	2592.99	518598	CW/SRS	14.76	Back	0	0.138	27.3	25.0	14.0				
Phablet	NR Band n41	100	E	2	0160M	1:1	0.04	2592.99	518598	CW/SRS	14.76	Front	0	0.213	25.4						
Phablet	NR Band n41	100	E	2	0160M	1:1	0.04	2592.99	518598	CW/SRS	14.76	Top	0	0.125	27.7						
Phablet	NR Band n41	100	E	2	0160M	1:1	-0.11	2592.99	518598	CW/SRS	14.76	Right	0	0.232	25.0						

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT	Approved by: Technical Manager
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset	APPENDIX L: Page 7 of 9

Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n41	100	D	2	0160M	1:1	0.02	2592.99	518598	CW/SRS	17.37	Back	0	0.497	24.3	24.3	17.0
Phablet	NR Band n41	100	D	2	0160M	1:1	0.06	2592.99	518598	CW/SRS	17.37	Front	0	0.029	36.7		
Phablet	NR Band n41	100	D	2	0160M	1:1	-0.10	2592.99	518598	CW/SRS	17.37	Bottom	0	0.067	33.0		
Phablet	NR Band n41	100	D	2	0160M	1:1	0.09	2592.99	518598	CW/SRS	17.37	Left	0	0.018	38.7		

Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Path #	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n41	100	D	1	0160M	1:1	0.05	2592.99	518598	CW/SRS	16.35	Back	0	0.645	22.2	22.2	16.5
Phablet	NR Band n41	100	D	1	0160M	1:1	0.09	2592.99	518598	CW/SRS	16.35	Front	0	0.034	35.0		
Phablet	NR Band n41	100	D	1	0160M	1:1	0.00	2592.99	518598	CW/SRS	16.35	Bottom	0	0.109	29.9		
Phablet	NR Band n41	100	D	1	0160M	1:1	0.11	2592.99	518598	CW/SRS	16.35	Left	0	0.022	36.9		

Table L-23
DSI = 0 P_{Limit} Calculations – NR Band n48 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n48	40	QPSK	F	0246M	1:1	-0.07	3679.98	645332	CP-OFDM	0.0	20.56	1	1	Back	0	0.664	26.3	22.3	20.0
Phablet	NR Band n48	40	QPSK	F	0246M	1:1	-0.18	3679.98	645332	CP-OFDM	0.0	20.56	1	1	Front	0	1.230	23.6		
Phablet	NR Band n48	40	QPSK	F	0246M	1:1	-0.08	3679.98	645332	CP-OFDM	0.0	20.56	1	1	Top	0	1.690	22.3		
Phablet	NR Band n48	40	QPSK	F	0246M	1:1	0.05	3679.98	645332	CP-OFDM	0.0	20.56	1	1	Bottom	0	0.004	48.5		
Phablet	NR Band n48	40	QPSK	F	0246M	1:1	0.00	3679.98	645332	CP-OFDM	0.0	20.56	1	1	Left	0	0.190	31.8		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n48	40	C	0246M	1:1	0.00	3679.98	645332	CW/SRS	14.96	Back	0	0.495	22.0	19.0	14.5				
Phablet	NR Band n48	40	C	0246M	1:1	-0.01	3679.98	645332	CW/SRS	14.96	Front	0	0.396	23.0						
Phablet	NR Band n48	40	C	0246M	1:1	0.07	3679.98	645332	CW/SRS	14.96	Bottom	0	0.064	30.9						
Phablet	NR Band n48	40	C	0246M	1:1	-0.02	3679.98	645332	CW/SRS	14.96	Right	0	0.981	19.0						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n48	40	I	0160M	1:1	-0.01	3624.99	641666	CW/SRS	19.40	Back	0	0.714	24.8	23.3	19.0				
Phablet	NR Band n48	40	I	0160M	1:1	-0.05	3624.99	641666	CW/SRS	19.40	Front	0	1.030	23.3						
Phablet	NR Band n48	40	I	0160M	1:1	-0.02	3624.99	641666	CW/SRS	19.40	Top	0	0.059	35.7						
Phablet	NR Band n48	40	I	0160M	1:1	-0.07	3624.99	641666	CW/SRS	19.40	Left	0	0.236	29.7						
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]				
Phablet	NR Band n48	40	D	0160M	1:1	-0.03	3679.98	645332	CW/SRS	15.05	Back	0	0.777	20.1	20.1	14.5				
Phablet	NR Band n48	40	D	0160M	1:1	-0.14	3679.98	645332	CW/SRS	15.05	Front	0	0.033	33.8						
Phablet	NR Band n48	40	D	0160M	1:1	-0.15	3679.98	645332	CW/SRS	15.05	Bottom	0	0.083	29.8						
Phablet	NR Band n48	40	D	0160M	1:1	0.01	3679.98	645332	CW/SRS	15.05	Left	0	0.000	59.0						

Table L-24
DSI = 0 P_{Limit} Calculations – NR Band n77 Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	MPR [dB]	Conducted Power [dBm]	RB Size	RB Offset	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n77	100	QPSK	F	0160M	1:1	-0.04	3750.00	650000	DFT-s-OFDM	0.0	19.47	1	1	Back	0	0.788	24.4	19.2	18.5
Phablet	NR Band n77	100	QPSK	F	0160M	1:1	0.00	3750.00	650000	DFT-s-OFDM	0.0	19.47	1	1	Front	0	1.520	21.6		
Phablet	NR Band n77 DoD	100	QPSK	F	0160M	1:1	0.00	3500.01	633334	DFT-s-OFDM	0.0	19.13	1	1	Top	0	2.430	19.2		
Phablet	NR Band n77	100	QPSK	F	0160M	1:1	-0.12	3750.00	650000	DFT-s-OFDM	0.0	19.47	1	1	Top	0	1.800	20.8		
Phablet	NR Band n77	100	QPSK	F	0160M	1:1	-0.13	3750.00	650000	DFT-s-OFDM	0.0	19.47	1	1	Left	0	0.237	29.7		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT											Approved by: Technical Manager							
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset											APPENDIX L: Page 8 of 9							

Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n77	100	C	0160M	1:1	0.02	3930.00	662000	CW/SRS	15.22	Back	0	0.507	22.1	19.2	15.0
Phablet	NR Band n77	100	C	0160M	1:1	-0.06	3930.00	662000	CW/SRS	15.22	Front	0	0.270	24.9		
Phablet	NR Band n77	100	C	0160M	1:1	-0.02	3930.00	662000	CW/SRS	15.22	Bottom	0	0.076	30.4		
Phablet	NR Band n77 DoD	100	C	0160M	1:1	-0.04	3500.01	633334	CW/SRS	14.24	Right	0	0.805	19.2		
Phablet	NR Band n77	100	C	0160M	1:1	0.00	3930.00	662000	CW/SRS	15.22	Right	0	0.878	19.8		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n77	100	I	0160M	1:1	-0.15	3930.00	662000	CW/SRS	16.94	Back	0	0.844	21.7	19.6	17.0
Phablet	NR Band n77 DoD	100	I	0160M	1:1	-0.08	3500.01	633334	CW/SRS	16.28	Front	0	1.160	19.6		
Phablet	NR Band n77	100	I	0160M	1:1	0.01	3930.00	662000	CW/SRS	16.94	Front	0	1.170	20.2		
Phablet	NR Band n77	100	I	0160M	1:1	0.01	3930.00	662000	CW/SRS	16.94	Top	0	0.006	43.1		
Phablet	NR Band n77	100	I	0160M	1:1	-0.04	3930.00	662000	CW/SRS	16.94	Left	0	0.358	25.4		
Exposure	Band / Mode	Bandwidth [MHz]	Ant.	Serial Number	Duty Cycle	Power Drift [dB]	Frequency [MHz]	Channel #	Waveform	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	NR Band n77 DoD	100	D	0160M	1:1	0.01	3500.01	633334	CW/SRS	14.48	Back	0	0.957	18.7	18.7	15.0
Phablet	NR Band n77	100	D	0160M	1:1	0.04	3930.00	662000	CW/SRS	15.33	Back	0	0.711	20.8		
Phablet	NR Band n77	100	D	0160M	1:1	-0.05	3930.00	662000	CW/SRS	15.33	Front	0	0.021	36.1		
Phablet	NR Band n77	100	D	0160M	1:1	0.03	3930.00	662000	CW/SRS	15.33	Bottom	0	0.066	31.1		
Phablet	NR Band n77	100	D	0160M	1:1	0.01	3930.00	662000	CW/SRS	15.33	Left	0	0.003	44.5		

Table L-25
DSI = 0 P_{Limit} Calculations – 2.4 GHz WLAN Phablet SAR

Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle [%]	Power Drift [dB]	Frequency [MHz]	Channel #	Data Rate [Mbps]	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Duty Cycle Scaling Factor	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]	
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	H	0876M	98.85	0.00	2462.00	11	1	18.51	Back	0	1.790	N/A	19.9	19.4	18.0	
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	H	0876M	98.85	-0.02	2462.00	11	1	18.51	Front	0	0.794	N/A	23.4			
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	H	0876M	98.85	-0.01	2462.00	11	1	18.51	Top	0	0.460	N/A	25.8			
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	H	0876M	98.85	0.01	2462.00	11	1	18.51	Left	0	2.000	N/A	19.4			
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle [%]	Power Drift [dB]	Frequency [MHz]	Channel #	Data Rate [Mbps]	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Duty Cycle Scaling Factor	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]	
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	J	0876M	98.85	-0.03	2462.00	11	1	18.26	Back	0	0.345	N/A	26.8	24.4	18.0	
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	J	0876M	98.85	0.02	2462.00	11	1	18.26	Front	0	0.595	N/A	24.4			
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	J	0876M	98.85	-0.06	2462.00	11	1	18.26	Top	0	0.006	N/A	44.4			
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	J	0876M	98.85	0.07	2462.00	11	1	18.26	Right	0	0.184	N/A	29.5			
Exposure	Band / Mode	Bandwidth [MHz]	Service / Modulation	Ant.	Serial Number	Duty Cycle [%]	Power Drift [dB]	Frequency [MHz]	Channel #	Data Rate [Mbps]	Conducted Power [dBm]	Conducted Power (2nd ant) [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Duty Cycle Scaling Factor	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	MIMO	0876M	98.85	0.02	2462.00	11	6.5	18.51	18.26	Back	0	1.880	N/A	19.4	19.0	18.0
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	MIMO	0876M	98.85	-0.08	2462.00	11	6.5	18.51	18.26	Front	0	0.926	N/A	22.5		
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	MIMO	0876M	98.85	0.02	2462.00	11	6.5	18.51	18.26	Top	0	0.413	N/A	26.0		
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	MIMO	0876M	98.85	0.06	2462.00	11	6.5	18.51	18.26	Right	0	0.180	N/A	29.6		
Phablet	2.4 GHz WiFi/ IEEE 802.11b	20	DSSS	MIMO	0876M	98.85	0.01	2462.00	11	6.5	18.51	18.26	Left	0	2.070	N/A	19.0		

Table L-25
DSI = 0 P_{Limit} Calculations – 2.4 GHz Bluetooth Phablet SAR

Exposure	Band / Mode	Service / Modulation	Ant.	Serial Number	Duty Cycle [%]	Power Drift [dB]	Frequency [MHz]	Channel #	Data Rate [Mbps]	Conducted Power [dBm]	Test Position	Spacing [mm]	Measured 10g SAR [W/kg]	Duty Cycle Scaling Factor	Plimit [dBm]	Overall Plimit [dBm]	EFS Plimit [dBm]
Phablet	2.4 GHz Bluetooth	FHSS	H	0854M	77.05	-0.03	2441.00	39	1	19.24	Back	0	0.505	N/A	25.1	21.6	21.6
Phablet	2.4 GHz Bluetooth	FHSS	H	0854M	77.05	0.05	2441.00	39	1	19.24	Front	0	0.648	N/A	24.0		
Phablet	2.4 GHz Bluetooth	FHSS	H	0854M	77.05	0.00	2441.00	39	1	19.24	Top	0	0.238	N/A	28.3		
Phablet	2.4 GHz Bluetooth	FHSS	H	0854M	77.05	-0.05	2441.00	39	1	19.24	Left	0	1.120	N/A	21.6		

FCC ID: A3LSMS928U	PART 0 SAR CHAR REPORT											Approved by: Technical Manager						
Document S/N: 1M2308210092-24.A3L	DUT Type: Portable Handset											APPENDIX L: Page 9 of 9						

REV 1.1
04/08/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact CT.Info@Element.com.